# Zoom Video Communications Accessibility Conformance Report

## **International Edition**

**VPAT® Version 2.3** 

Name of Product/Version: Zoom Contact Center

**Product Description:** Zoom Contact Center is an omnichannel cloud contact center solution that's optimized for video and integrated right into the same Zoom experience.

**Date:** March 31, 2023

Contact information: access@zoom.us

**Notes:** 

**Evaluation Methods Used:** The following testing was done on Chrome v96.0 with WAVE Extension for WCAG 2.1 compliance and WebAIM for section 508 compliance, Firefox v94.0 with FireEyes for WAI-ARIA and Microsoft Edge on Windows 10 with NV Access's NVDA screen reader v2021, JAWS 2021, Microsoft's Accessibility Display options (Filter keys and Display/Contrast settings) and standard Keyboard, on Safari on macOS Big Sur with Apples' Accessibility Display options (invert colors, use grayscale, color settings, contrast settings and transparency settings), Zoom options, VoiceOver options and standard Keyboard.

## **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

<sup>&</sup>quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at <a href="http://www.w3.org/TR/2008/REC-WCAG20-20081211/">http://www.w3.org/TR/2008/REC-WCAG20-20081211/</a>	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1 at <a href="https://www.w3.org/TR/WCAG21/">https://www.w3.org/TR/WCAG21/</a>	Level A (Yes)
	Level AA (Yes)
	Level AAA (No )
Revised Section 508 standards as published by the U.S. Access Board in the Federal Register on January 18, 2017	
Corrections to the ICT Final Rule as published by the US Access Board in the Federal Register on January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in	
Europe, - V2.1.2 (2018-08) at	(Yes)
https://www.etsi.org/deliver/etsi_en//301500_301599/301549/02.01.02_60/en_301549v020102p.pdf	

#### **Terms**

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Supports with Exceptions: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Chapter 10 Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <a href="https://www.wcashee.com/wca

# Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)  Also applies to: EN 301 549 Criteria  • 9.1.1.1 (Web)  • 10.1.1.1 (Non-web document)  • 11.1.1.1.1 (Open Functionality Software)  • 11.8.2 (Authoring Tool)	Supports with Exceptions	Zoom's Contact Center provide text-alternatives to most non-text content. Programmatic labeling techniques such as aria-labels and alt-text, are used to allow assistive technologies users to decipher the nature and purpose of
<ul> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		non-text content.

1.2.1 Audio-only and Video-only (Prerecorded) (Level A)		
Also applies to: EN 301 549 Criteria  • 9.1.2.1 (Web)  • 10.1.2.1 (Non-web document)  • 11.1.2.1.1 (Open Functionality Software)  • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)	Supports with Exceptions	Zoom Contact Center allows custom-uploaded video content that displays during the inbound participant experience. Administrators can upload videos with burned-in open captions, but it does not support closed captions.
• 602.3 (Support Docs)  1.2.2 Captions (Prerecorded) (Level A)		
Also applies to: EN 301 549 Criteria  9.1.2.2 (Web)  10.1.2.2 (Non-web document)  11.1.2.2 (Open Functionality Software)  11.1.2.2 (Closed Software) – Does not apply  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Supports with Exceptions	Zoom Contact Center allows custom-uploaded video content that displays during the inbound participant experience. Administrators can upload videos with burned-in open captions, but they cannot add closed caption tracks.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software)	Does not support	Zoom Contact Center allows for a pre-recorded video to be shown in the waiting room dialog for inbound customers. Admins may provide a video track that by default contain audio descriptions, but the video player does not support multiple audio tracks.

	T	,
• 11.1.2.3.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.3.1 Info and Relationships (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.1 (Web)		Zoom Contact Contact programmatically proceed the
<ul> <li>10.1.3.1 (Non-web document)</li> </ul>		Zoom Contact Center programmatically present the
• 11.1.3.1.1 (Open Functionality Software)		visual structure, context, and relationships between
• 11.1.3.1.2 (Closed Software)		elements to assistive technologies.
• 11.8.2 (Authoring Tool)	Supports with Exceptions	
• 12.1.2 (Product Docs)		Several places in the Contact Center administrators web
• 12.2.4 (Support Docs)		interface are missing proper heading structure,
Revised Section 508		landmarks, and contextual labeling.
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.3.2 Meaningful Sequence (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.2 (Web)		
• 10.1.3.2 (Non-web document)		
• 11.1.3.2.1 (Open Functionality Software)		
• 11.1.3.2.2 (Closed Software)		Zoom Contact Center employs a tab order that is logical
• 11.8.2 (Authoring Tool)	Supports	and follows the visual order of elements. Ordering in the
• 12.1.2 (Product Docs)		Document Object Model matches the visual order.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
55215 (54pport 5500)	1	

4.2.2 Company Chamataristics (Lovel A)		1
1.3.3 Sensory Characteristics (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.3 (Web)		
• 10.1.3.3 (Non-web document)		
• 11.1.3.3 (Open Functionality Software)		Zoom Contact Center does not rely solely on sensory
• 11.1.3.3 (Closed Software)	Supports	characteristics such as shape, size, visual location,
• 11.8.2 (Authoring Tool)	Заррога	orientation, or sound to convey information about
• 12.1.2 (Product Docs)		content and elements.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.1 Use of Color (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.1 (Web)		
• 10.1.4.1 (Non-web document)		
• 11.1.4.1 (Open Functionality Software)		
• 11.1.4.1 (Closed Software)		Zoom Contact Center does not convey information
• 11.8.2 (Authoring Tool)	Supports	without solely using color differences.
• 12.1.2 (Product Docs)		,
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.2 Audio Control (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.2 (Web)		
• 10.1.4.2 (Non-web document)	Supports	Zoom Contact Center does not have automatically
• 11.1.4.2 (Open Functionality Software)	''	played audio.
• 11.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
- 12:1:2 (1100000 2003)	<u> </u>	l

2 12 2 4 (Compart Do)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)	_	
2.1.1 Keyboard (Level A)  Also applies to:  EN 301 549 Criteria  9.2.1.1 (Web)  10.2.1.1 (Non-web document)  11.2.1.1.1 (Open Functionality Software)  11.2.1.1.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Supports with Exception	<ul> <li>Zoom Contact Center provides keyboard support to many elements.</li> <li>Exceptions include:         <ul> <li>The 'more options' menu buttons in the meeting video client have keyboard accessibility issues.</li> <li>The Contact Center chatbot interface has a few keyboard accessibility issues with links, and emoji reactions</li> <li>A few tables in the administrator web interface have minor keyboard accessibility issues (e.g. expand/collapse buttons in some tables are not accessible)</li> <li>The flow editor used by administrators to define the inbound participant experience requires the use of a mouse</li> </ul> </li> </ul>
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
EN 301 549 Criteria		
<ul> <li>9.2.1.2 (Web)</li> <li>10.2.1.2 (Non-web document)</li> <li>11.2.1.2 (Open Functionality Software)</li> <li>11.2.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	Zoom Contact Center allows for keyboard navigation throughout the application without keyboard trap.
2.1.4 Character Key Shortcuts (Level A 2.1 only)	Not applicable	Zoom Contact Center does not support keyboard
Also applies to:		shortcuts

	1	
EN 301 549 Criteria		
• 9.2.1.4 (Web)		
• 10.2.1.4 (Non-web document)		
• 11.2.1.4.1 (Open Functionality Software)		
• 11.2.1.4.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.2.1 Timing Adjustable (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.1 (Web)		
• 10.2.2.1 (Non-web document)		
<ul> <li>11.2.2.1 (Open Functionality Software)</li> </ul>		
• 11.2.2.1 (Closed Software)	Supports	Zoom Contact Center does not have time-limited
• 11.8.2 (Authoring Tool)		content.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.2 (Web)		
• 10.2.2.2 (Non-web document)		
• 11.2.2.2 (Open Functionality Software)		
• 11.2.2.2 (Closed Software)		Most Zoom Contact Center does not have automatically
• 11.8.2 (Authoring Tool)	Supports with Exceptions	playing content that cannot be paused.
• 12.1.2 (Product Docs)		. , ,
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		

2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.3.1 (Web)		
• 10.2.3.1 (Non-web document)		
• 11.2.3.1 (Open Functionality Software)		
• 11.2.3.1(Closed Software)		
• 11.8.2 (Authoring Tool)	Supports	Zoom Contact Center does not have flashing content.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.1 (Web)		
<ul> <li>10.2.4.1 (Non-web document) – Does not apply</li> </ul>		
<ul> <li>11.2.4.1 (Open Functionality Software) – Does not</li> </ul>		
apply		
<ul> <li>11.2.4.1 (Closed Software) – Does not apply</li> </ul>		Zoom Contact Center supports "Skip to main content"
• 11.8.2 (Authoring Tool)	Supports	links.
• 12.1.2 (Product Docs)		iiiiks.
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web</li> </ul>		
software		
• 504.2 (Authoring Tool)		
<ul> <li>602.3 (Support Docs) – Does not apply to non-web</li> </ul>		
docs		
2.4.2 Page Titled (Level A)		
Also applies to:		Zoom Contact Center pages are titled to convey the
EN 301 549 Criteria	Supports	meaning of the page
• 9.2.4.2 (Web)		incuming of the page
• 10.2.4.2 (Non-web document)		

• 11.2.4.2 (Open Functionality Software) - Does not		
apply		
<ul> <li>11.2.4.2 (Closed Software) – Does not apply</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.3 Focus Order (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.3 (Web)		
• 10.2.4.3 (Non-web document)		
<ul> <li>11.2.4.3 (Open Functionality Software)</li> </ul>		Zoom Contact Center pages provide a focus order that is consistent with the visual order of the application. Please see WCAG 2.1.1 Keyboard for more information
• 11.2.4.3 (Closed Software)	Supports with Exceptions	
• 11.8.2 (Authoring Tool)	Supports with Exceptions	
• 12.1.2 (Product Docs)		about keyboard accessibility support.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.4 (Web)		Zoom Contact Center provides many links with clear text
<ul><li>10.2.4.4 (Non-web document)</li></ul>		to allow the user to understand the purpose of each link.
<ul> <li>11.2.4.4 (Open Functionality Software)</li> </ul>	Supports with Exceptions	Aria-label attributes are used to describe when
• 11.2.4.4 (Closed Software	Supports with Exceptions	necessary.
• 11.8.2 (Authoring Tool)		Exceptions include:
• 12.1.2 (Product Docs)		A few links within the administrative web
• 12.2.4 (Support Docs)		interfaces are not adequately labeled.
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		

602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 only)		
Also applies to:		Zoom Contact Center does not require any multi-point gestures in order to operate content.
EN 301 549 Criteria		
• 9.2.5.1 (Web)		
<ul> <li>10.2.5.1 (Non-web document)</li> </ul>	Supports with Exceptions	Exceptions Include:
<ul> <li>11.2.5.1 (Open Functionality Software)</li> </ul>	Supports with exceptions	The flow editor used by administrators to define
• 11.2.5.1 (Closed Software)		the inbound participant experience requires the
<ul><li>11.8.2 (Authoring Tool)</li></ul>		use of a mouse
• 12.1.2 (Product Docs)		use of a mouse
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.2 (Web)		Zoom Contact Center's flow editor utilizes pointer gestures where completing the function on a down-event is essential.
• 10.2.5.2 (Non-web document)	Klinnorte with Eventions	
• 11.2.5.2 (Open Functionality Software)	Supports with Exceptions	
• 11.2.5.2 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.3 Label in Name (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.5.3 (Web)		
• 10.2.5.3 (Non-web document)	Supports	Zoom Contact Center uses programmatic labels that
• 11.2.5.3 (Open Functionality Software)		match the visual label of elements.
• 11.2.5.3 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.4 Motion Actuation (Level A 2.1 only)	Supports	Zoom Contact Center does not contain any functionality
Also applies to:		that is triggered by gestures or by moving a device.
EN 301 549 Criteria		35 , 5 11, 1 5111 55

• 9.2.5.4 (Web)		
• 10.2.5.4 (Non-web document)		
• 11.2.5.4 (Open Functionality Software)		
• 11.2.5.4 (Closed Software		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.1 (Web)		
• 10.3.1.1 (Non-web document)		
• 11.3.1.1.1 (Open Functionality Software)		Zana Cantast Contagnisma the "lana" UTNAL to a to
• 11.3.1.1.2 (Closed Software)	Sunnarts	Zoom Contact Center supports the "lang" HTML tag to
• 11.8.2 (Authoring Tool)		help assistive technologies identify the language of the
• 12.1.2 (Product Docs)		page.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.2.1 On Focus (Level A)		
EN 301 549 Criteria		
• 9.3.2.1 (Web)		
• 10.3.2.1 (Non-web document)		
• 11.3.2.1 (Open Functionality Software)		Zoom Contact Center does not initiate changes of
• 11.3.2.1 (Closed Software)	Supports	context upon the focusing of elements. This is ensured
· ·	• •	•
· · · · · · · · · · · · · · · · · · ·		on "focus".
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
The state of the s		
• 602.3 (Support Docs)		
<ul> <li>602.3 (Support Docs)</li> <li>3.2.1 On Focus (Level A)</li> <li>Also applies to:         <ul> <li>EN 301 549 Criteria</li> <li>9.3.2.1 (Web)</li> <li>10.3.2.1 (Non-web document)</li> <li>11.3.2.1 (Open Functionality Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> </ul> </li> </ul>	Supports	context upon the focusing of elements. This is ensured by activating changes of context on "activate" and not

2.2.2 On Innut /Lovel A	T	
3.2.2 On Input (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.2 (Web)		
• 10.3.2.2 (Non-web document)		
• 11.3.2.2 (Open Functionality Software)	Supports	Zoom Contact Center does not initiate changes of
• 11.3.2.2 (Closed Software)		context upon user input. This is ensured by providing
• 11.8.2 (Authoring Tool)		submit buttons.
• 12.1.2 (Product Docs)		Submit succons.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
<ul><li>504.2 (Authoring Tool)</li></ul>		
602.3 (Support Docs)		
3.3.1 Error Identification (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.1 (Web)		
• 10.3.3.1 (Non-web document)		
<ul> <li>11.3.3.1.1 (Open Functionality Software)</li> </ul>	S	Zoom Contact Center use form fields with automatic
• 11.3.3.1.2 (Closed Software)	1 ' '	l l
<ul> <li>11.8.2 (Authoring Tool)</li> </ul>		error detection and error messages. Client-side validation is used to add error text to the DOM.
• 12.1.2 (Product Docs)		validation is used to add error text to the DOM.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
3.3.2 Labels or Instructions (Level A)		
Also applies to:		Zoom Contact Center uses visible form labels that are
EN 301 549 Criteria		associated with form controls. Required fields are
• 9.3.3.2 (Web)		determined programmatically and identified with
• 10.3.3.2 (Non-web document)	ISTINDANTS WITH EVERNIANS	appropriate labels or legends.
• 11.3.3.2 (Open Functionality Software)		Exceptions Include:
• 11.3.3.2 (Closed Software)		A few forms in the administrative web pages are
• 11.8.2 (Authoring Tool)		not adequately labeled programatically
• 12.1.2 (Product Docs)		
		I

• 12.2.4 (Support Docs)	
Revised Section 508	
• 501 (Web)(Software)	
• 504.2 (Authoring Tool)	
602.3 (Support Docs)	

<ul> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> </ul>	Supports	Zoom Contact Center uses HTML according to spec. Web pages are developed to ensure that ID attributes are unique, and that elements do not contain duplicate attributes.
● 602.3 (Support Docs)  4.1.2 Name, Role, Value (Level A)  Also applies to: EN 301 549 Criteria ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs)  Revised Section 508 ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs)		Many of the elements in Zoom Contact Center provide the necessary role, state, and value information to assistive technologies.  Exceptions include:  A few form elements in the administrative web pages are not adequately labeled programmatically  There are a few components within the video meeting client that do not adequately convey their name, role, and value information:  In the Participants list, the focused user's video status is not conveyed  The submenu options in the 'more options' menu are not labeled  The Contact Center chat bot interface has several elements that do not properly convey their name, role, value information  Alerts do not have the proper alert role  The emoji interface is not screen reader accessible  The "" menu button on the top right (contains "mute", "download transcript", "email transcript", "end chat") does not

have the adequate name, or role information conveyed  The Contact Center outbound SMS experience for agents contain a few minor components that do not adequately convey their name, role, and value information  A few links in the administrators web interface do not adequately convey their name, role, and value information  The flow editor used by administrators to define the inbound participant experience contain many elements that do not adequately convey
their name, role, and value information

# **Table 2: Success Criteria, Level AA**

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria  9.1.2.4 (Web)  10.1.2.4 (Non-web document)  11.1.2.4 (Open Functionality Software)  11.1.2.4 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	II)oes not sunnort	Zoom Contact Center's video client does not yet support Closed Captioning
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: EN 301 549 Criteria	Supports with Exceptions	Zoom Contact Center allows for a pre-recorded video to be shown in the waiting room dialog for inbound customers. Admins may provide a video track that by

• 9.1.2.5 (Web)     • 10.1.2.5 (Non-web document)     • 11.1.2.5 (Closed Software)     • 12.1.2 (Product Docs)     • 12.1.2 (Support Docs)     Revised Section 508     • 501 (Web)(Software)     • 50.2 (Support Docs)     • 602.3 (Support Docs)     1.3.4 Orientation (Level AA 2.1 only)  Also applies to:     EN 301 549 Criteria     • 9.13.4 (Web)     • 10.1.3.4 (Non-web document)     • 11.1.3.4 (Closed Software)     • 11.1.3.4 (Closed Software)     • 11.1.3.4 (Closed Software)     • 11.1.3.4 (Open Functionality Software)     • 11.1.3.5 (Closed Software)     1.3.5 (Identify Input Purpose (Level AA 2.1 only)  Also applies to:     EN 301 549 Criteria     • 9.13.5 (Web)     • 10.1.3.4 (Non-web document)     • 10.1.3.5 (Closed Software)     • 11.1.3.5 (Closed Software)     • 11.3.5 (Closed Software)     • 11.3.5 (Closed Software)     • 11.3.5 (Closed	Criteria	Conformance Level	Remarks and Explanations
11.1.2.5 (Closed Software)     11.1.2.5 (Closed Software)     11.1.2.5 (Closed Software)     11.1.2.6 (Authoring Tool)     12.1.2 (Product Docs)     Revised Section 508     501 (Web)(Software)     504.2 (Authoring Tool)     60.2 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to:     En 301 549 Criteria     9.1.3.4 (Web)     10.1.3.4 (Non-web document)     11.1.3.4 (Closed Software)     11.1.3.4 (Closed Software)     11.3.2 (Authoring Tool)     12.1.2 (Product Docs)     12.2.4 (Support Docs)     Revised Section 508 — Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to:     EN 301 549 Criteria     9.1.3.5 (Web)     10.1.3.4 (Non-web document)     11.1.3.5 (Closed Software)     11.3.5 (Closed Software)	• 9.1.2.5 (Web)		default contain audio descriptions, but the video player
1.1.2.2 (Closed Software) 1.1.2.2 (Authoring Tool) 1.2.1.2 (Product Docs) 2.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.3.4 (Open Functionality Software) 11.3.2 (Authoring Tool) 11.3.2 (Authoring Tool) 11.3.2 (Authoring Tool) 11.3.2 (Authoring Tool) 11.3.3 (Non-web document) 11.3.4 (Depen Functionality Software) 11.3.5 (Jesed Software) 11.3.5 (Jesed Software) 11.3.5 (Jesed Software) 11.3.5 (Jesed Software) 11.3.5 (Closed Software)	• 10.1.2.5 (Non-web document)		does not support multiple audio tracks.
11.8.2 (Authoring Tool)     12.1.2 (Product Docs)     12.2.4 (Support Docs) Revised Section 508     501 (Web)(Software)     504.2 (Authoring Tool)     602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     9.1.3.4 (Web)     10.1.3.4 (Non-web document)     11.1.3.4 (Closed Software)     11.3.3.4 (Closed Software)     11.3.4 (Closed Software)     11.3.5 (Closed Software)     12.2.4 (Support Docs) Revised Section 508 — Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     9.1.3.5 (Web)     10.1.3.4 (Non-web document)     12.3.5 (Joen Functionality Software)     11.3.5 (Closed Software)     11.3.6 (Closed Software)     11.3.7 (Closed Software)     11.3.8 (Closed Software)     11.3.8 (Closed Software)     11.3.9 (Closed Software)     11.3.9 (Closed Software)     11.3.9 (Closed Software)	• 11.1.2.5 (Open Functionality Software)		
1.2.1.2 (Product Docs) 1.2.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 501.4 (Web)(Software) 602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria 9.13.34 (Open Functionality Software) 11.13.4 (Closed Software) 11.13.4 (Closed Software) 11.13.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria 9.13.35 (Web) 10.13.4 (Non-web document) 10.13.5 (Non-web document) 10.13.5 (Closed Software) 11.13.5 (Closed Software)	• 11.1.2.5 (Closed Software)		
12.2.4 (Support Docs) Revised Section 508     • S01 (Web)(Software)     • 504.2 (Authoring Tool)     • 602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     • 9.1.3.4 (Non-web document)     • 11.1.3.4 (Olosed Software)     • 11.3.4 (Closed Software)     • 11.8.2 (Authoring Tool)     • 12.1.2 (Product Docs)     • 12.2.4 (Support Docs)     Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     • 9.1.3.5 (Web)     • 10.1.3.4 (Non-web document)     • 11.3.5 (Open Functionality Software)     • 11.3.2 (Product Docs)     • 12.2.4 (Support Docs)	• 11.8.2 (Authoring Tool)		
Revised Section 508  Sol (Web)(Software)  504 (2 Authoring Tool)  602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria  9.1.3.4 (Non-web document)  11.1.3.4 (Closed Software)  11.1.3.4 (Closed Software)  12.1.2 (Product Docs)  Revised Section 508 — Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria  9.1.3.5 (Web)  10.1.3.4 (Non-web document)  11.1.3.5 (Closed Software)  11.2.2 (Product Docs)  12.2.4 (Support Docs)	• 12.1.2 (Product Docs)		
501 (Web)(Software)     504.2 (Authoring Tool)     602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     9.1.3.4 (Non-web document)     11.1.3.4 (Open Functionality Software)     11.1.3.4 (Closed Software)     11.8.2 (Authoring Tool)     12.1.2 (Product Docs)     12.2.4 (Support Docs)     Revised Section 508 — Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     9.1.3.5 (Web)     10.1.3.4 (Non-web document)     11.1.3.5 (Open Functionality Software)     11.1.3.5 (Closed Software)     11.3.2 (Authoring Tool)     12.1.2 (Product Docs)	• 12.2.4 (Support Docs)		
504.2 (Authoring Tool)     602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     9.1.3.4 (Web)     10.1.3.4 (Non-web document)     11.1.3.4 (Closed Software)     11.8.2 (Authoring Tool)     12.1.2 (Product Docs)     Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     9.1.3.5 (Web)     10.1.3.4 (Non-web document)     11.1.3.5 (Closed Software)     11.1.3.5 (Closed Software)     11.1.3.5 (Closed Software)     11.1.3.5 (Closed Software)     11.1.3.5 (Product Docs)     12.2.4 (Support Docs)     12.2.4 (Support Docs)	Revised Section 508		
• 602.3 (Support Docs)  1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose EN 301 549 Criteria • 9.1.3.5 (Web) • 10.1.3.4 (Non-web document) • 11.3.5 (Open Functionality Software) • 11.3.5 (Closed Software) • 11.3.5 (Closed Software) • 11.3.5 (Closed Software) • 11.3.5 (Closed Software) • 11.3.5 (Penduct Docs) • 12.2.4 (Support Docs) • 12.2.2 (Support Docs) • 12.2.4 (Support Docs) • 12.2.4 (Support Docs) • 12.2.2 (Support Docs) • 12.2.4 (Support Docs)	• 501 (Web)(Software)		
1.3.4 Orientation (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria  • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria • 9.1.3.5 (Web) • 10.1.3.4 (Non-web document) • 11.3.5 (Closed Software) • 11.3.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs)	• 504.2 (Authoring Tool)		
Also applies to: EN 301 549 Criteria  • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria • 9.1.3.5 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.5 (Open Functionality Software) • 11.1.3.5 (Closed Software) • 11.1.3.5 (Closed Software) • 11.1.3.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs)	602.3 (Support Docs)		
EN 301 549 Criteria  • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria • 9.1.3.5 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.5 (Closed Software) • 11.1.3.5 (Closed Software) • 11.1.3.5 (Closed Software) • 11.1.3.6 (Poper Functionality Software) • 11.1.3.7 (Product Docs) • 12.2.4 (Support Docs)	1.3.4 Orientation (Level AA 2.1 only)		
EN 301 549 Criteria  • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria • 9.1.3.5 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.5 (Closed Software) • 11.1.3.5 (Closed Software) • 11.1.3.5 (Closed Software) • 11.1.3.6 (Poper Functionality Software) • 11.1.3.7 (Product Docs) • 12.2.4 (Support Docs)	Also applies to:		
<ul> <li>9.1.3.4 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.4 (Open Functionality Software)</li> <li>11.1.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508 – Does not apply</li> <li>1.3.5 Identify Input Purpose (Level AA 2.1 only)</li> <li>Also applies to: EN 301 549 Criteria  <ul> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> </ul>			
10.1.3.4 (Non-web document)     11.1.3.4 (Open Functionality Software)     11.8.2 (Authoring Tool)     12.1.2 (Product Docs)     12.2.4 (Support Docs)     Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria     9.1.3.5 (Web)     10.1.3.4 (Non-web document)     11.1.3.5 (Open Functionality Software)     11.1.3.5 (Closed Software)     11.1.3.5 (Closed Software)     11.1.3.6 (Closed Software)     12.1.2 (Product Docs)     12.2.4 (Support Docs)			
<ul> <li>11.1.3.4 (Open Functionality Software)</li> <li>11.1.3.4 (Closed Software)</li> <li>11.1.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508 – Does not apply</li> </ul> 1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: <ul> <li>EN 301 549 Criteria</li> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	· · · ·		
<ul> <li>11.1.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508 – Does not apply</li> </ul> 1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: <ul> <li>EN 301 549 Criteria</li> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	,	Supports	display orientation
<ul> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508 – Does not apply</li> <li>1.3.5 Identify Input Purpose (Level AA 2.1 only)</li> <li>Also applies to:  EN 301 549 Criteria  <ul> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> </ul>			
<ul> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508 – Does not apply</li> </ul> 1.3.5 Identify Input Purpose (Level AA 2.1 only) Also applies to: <ul> <li>EN 301 549 Criteria</li> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>			
<ul> <li>12.2.4 (Support Docs) Revised Section 508 – Does not apply</li> <li>1.3.5 Identify Input Purpose (Level AA 2.1 only)</li> <li>Also applies to: EN 301 549 Criteria  <ul> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> </ul>			
Revised Section 508 – Does not apply  1.3.5 Identify Input Purpose (Level AA 2.1 only)  Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.4 (Non-web document) 11.1.3.5 (Open Functionality Software) 11.1.3.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs)	· · · · · · · · · · · · · · · · · · ·		
Also applies to: EN 301 549 Criteria  9.1.3.5 (Web)  10.1.3.4 (Non-web document)  11.1.3.5 (Open Functionality Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)	· · · · · · · · · · · · · · · · · · ·		
EN 301 549 Criteria  9.1.3.5 (Web)  10.1.3.4 (Non-web document)  11.1.3.5 (Open Functionality Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)			
EN 301 549 Criteria  9.1.3.5 (Web)  10.1.3.4 (Non-web document)  11.1.3.5 (Open Functionality Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)	Also applies to:		
<ul> <li>9.1.3.5 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>			
<ul> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Form fields on the Zoom Contact Center pages do not yet make use of the autocomplete attribute.  Form fields on the Zoom Contact Center pages do not yet make use of the autocomplete attribute.  Form fields on the Zoom Contact Center pages do not yet make use of the autocomplete attribute.			
<ul> <li>11.1.3.5 (Open Functionality Software)</li> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>		Does not support	Form fields on the Zoom Contact Center pages do not yet
<ul> <li>11.1.3.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	,	Bocs not support	, ,
<ul> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>			make use of the autocomplete attribute.
<ul> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>			
• 12.2.4 (Support Docs)			
	· · · · · · · · · · · · · · · · · · ·		
	Revised Section 508 – Does not apply		

Criteria	Conformance Level	Remarks and Explanations
1.4.3 Contrast (Minimum) (Level AA)  Also applies to: EN 301 549 Criteria  9.1.4.3 (Web)  10.1.4.3 (Non-web document)  11.1.4.3 (Open Functionality Software)  11.1.4.3 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Supports	Zoom Contact Center follows the minimal color contrast ratio for the text over the background.
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria  9.1.4.4 (Web)  10.1.4.4 (Non-web document)  11.1.4.4.1 (Open Functionality Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Supports with Exceptions	Zoom Contact Center web pages use frameworks that support the resizing of text. The Zoom Contact Center desktop client interface must be resized using the operating system defined scaling options since it is contained within a native desktop application.
1.4.5 Images of Text (Level AA)  Also applies to:  EN 301 549 Criteria  9.1.4.5 (Web)  10.1.4.5 (Non-web document)  11.1.4.5.1 (Open Functionality Software)  11.1.4.5.2 (Closed Software)	Supports	Zoom Contact Center uses text rather than images of text to present information.

Criteria	Conformance Level	Remarks and Explanations
• 11.8.2 (Authoring Tool)	1	·
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
1.4.10 Reflow (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.10 (Web)		
• 10.1.4.10 (Non-web document)		Zoom's Contact Center does not require scrolling in two
<ul> <li>11.1.4.10.1 (Open Functionality Software)</li> </ul>	Supports	dimensions to present content without loss of
• 11.1.4.10.2 (Closed Software)		information.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.11 Non-text Contrast (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.11 (Web)		
<ul> <li>10.1.4.11 (Non-web document)</li> </ul>		The product UI follows the 3:1 minimal contrast ratio for
• 11.1.4.11 (Open Functionality Software)	Supports	the visual presentation UI components against adjacent
• 11.1.4.11 (Closed Software)		colors.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.12 Text Spacing (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.12 (Web)	Supports	Zoom contact Center webpages support spacing changes
• 10.1.4.12 (Non-web document)		without the loss of content.
• 11.1.4.12 (Open Functionality Software)		
• 11.1.4.12 (Closed Software)		

Criteria	Conformance Level	Remarks and Explanations
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
1.4.13 Content on Hover or Focus (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.4.13 (Web)		
• 10.1.4.13 (Non-web document)		Zoom's Contact Center utilzes content on hover or focus
• 11.1.4.13 (Open Functionality Software)	Supports	which are hoverable, and persistent.
• 11.1.4.13 (Closed Software)		William are noverable, and persistent.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.4.5 Multiple Ways (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.4.5 (Web)		
<ul> <li>10.2.4.5 (Non-web document) – Does not apply</li> </ul>		
<ul> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> </ul>		Zoom Contact Center landing page has a footer with a list
<ul> <li>11.2.4.5 (Closed Software) – Does not apply</li> </ul>	Supports with Exceptions	of links. When signed-in, navigation for the Zoom Contact
• 11.8.2 (Authoring Tool)	Supports with Exceptions	Center administrative pages are only available through
• 12.1.2 (Product Docs)		the main navigational region.
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
2.4.6 Headings and Labels (Level AA)		
Also applies to:		
EN 301 549 Criteria		Zoom Contact Center provides descriptive labels and
• 9.2.4.6 (Web)	Supports	headings all throughout to help users understand the
• 10.2.4.6 (Non-web document)		content structure of pages.
• 11.2.4.6 (Open Functionality Software)		
• 11.2.4.6 (Closed Software)		

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>2.4.7 Focus Visible (Level AA)</li> </ul>		
Also applies to:  EN 301 549 Criteria  9.2.4.7 (Web)  10.2.4.7 (Non-web document)  11.2.4.7 (Open Functionality Software)  11.2.4.7 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)	Supports with Exceptions	Zoom Contact Center provides a visible focus indicator when elements receive keyboard focus. Please see WCAG 2.1.1 Keyboard for more information about keyboard accessibility support.  Exceptions include:  Some elements in the Contact Center video meeting client do not have focus indicators.
3.1.2 Language of Parts (Level AA)  Also applies to: EN 301 549 Criteria  9.3.1.2 (Web)  10.3.1.2 (Non-web document)  11.3.1.2 (Open Functionality Software) – Does not apply  11.3.1.2 (Closed Software) – Does not apply  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)	Supports	Zoom Contact Center support the HTML language attribute.

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		

2.2.2 Consistent Navigation (Lovel AA)		
3.2.3 Consistent Navigation (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.2.3 (Web)		
• 10.3.2.3 (Non-web document) – Does not apply		
• 11.3.2.3 (Open Functionality Software) – Does not apply		
• 11.3.2.3 (Closed Software) – Does not apply	Supports	Zoom Contact Center pages have navigation bars that
• 11.8.2 (Authoring Tool)		provide a list of links to reach other pages.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software) – Does not apply to non-web software		
• 504.2 (Authoring Tool)		
602.3 (Support Docs) – Does not apply to non-web docs		
3.2.4 Consistent Identification (Level AA)		
Also applies to:		
EN 301 549 Criteria		Zoom Contact Center is designed with product component and visual style uniformity in mind.
• 9.3.2.4 (Web)		
<ul> <li>10.3.2.4 (Non-web document) – Does not apply</li> </ul>		
<ul> <li>11.3.2.4 (Open Functionality Software) – Does not apply</li> </ul>		
<ul> <li>11.3.2.4 (Closed Software) – Does not apply</li> </ul>	Supports	
• 11.8.2 (Authoring Tool)	Supports	
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
<ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>		
• 504.2 (Authoring Tool)		
<ul> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
3.3.3 Error Suggestion (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.3 (Web)		Zoom Contact Contact uses form fields with outomatic
• 10.3.3.3 (Non-web document)	Supports	Zoom Contact Center uses form fields with automatic error detection and error descriptions.
<ul> <li>11.3.3.3 (Open Functionality Software)</li> </ul>		
• 11.3.3.3 (Closed Software)		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		

• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.3.4 (Web)		
• 10.3.3.4 (Non-web document)		
• 11.3.3.4 (Open Functionality Software)		
• 11.3.3.4 (Closed Software)	Supports	Zoom Contact Center identifies input errors for financial
• 11.8.2 (Authoring Tool)	Supports	transctions.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
4.1.3 Status Messages (Level AA 2.1 only)		
Also applies to:		
EN 301 549 Criteria		Zoom Contact Center utilizes some alerts with the
• 9.4.1.3 (Web)		"role=alert" attributes to make the status message
<ul> <li>10.4.1.3 (Non-web document) – Does not apply</li> </ul>		programmatically available to assistive technologies.
<ul> <li>11.4.1.3 (Open Functionality Software) – Does not apply</li> </ul>	ISTINDANTS WITH EXCENTIONS	Exceptions Include:
<ul> <li>11.4.1.3 (Closed Software) – Does not apply</li> </ul>		A few alerts in the chat bot interface are missing
• 11.8.2 (Authoring Tool)		its proper role="alert" attribute.
• 12.1.2 (Product Docs)		its proper role- alert attribute.
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		